






DETAIL A
SCALE 1 : 2

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE
SOLE PROPERTY OF Door King.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF Door King IS PROHIBITED.




Model 9100-080
1/2Hp 115Volt

SIZE DWG
A
SCALE: 1:8

9100-880



REV
F

SHEET 1 of 3




DETAIL G
SCALE 1 : 2

DETAIL F
SCALE 1 : 3



DETAIL H
SCALE 1 : 2



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE
SOLE PROPERTY OF Door King.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF Door King IS PROHIBITED.



Model 9100-080
1/2Hp 115Volt

SIZE	DWG
------	-----

A

SCALE:1:16

9100-880

REV

REV
F

SHEET 3 of 3

9100-080	Part #	Qt	Description
	5 9100-066	1	Manual Installation
	9 2600-731	1	Gasket Switch Cover
	10 2600-533	1	Switch Cover Doorking Lockable
	15 2600-849	1	Accessory Box 9100 Operator
	25 2600-440	1	Bearing Used in Slide Oper
	27 2600-453	1	Bearing Holder Plastic Back
	35 2600-429	1	Belt-Cogged, AX-35
	40 2600-921	1	Idler Bracket Left
	45 2600-922	1	Idler Bracket Right
	50 2600-938	1	Radio Tray 910
	55 2600-810	4	Bushing 7/8 Poke Thru Flaps
	60 2600-871	2	Bushing 1/2"ODx5/16"IDx1 5/16L
	65 2600-875	1	Capacitor Mounting Clamp
	70 2600-102	1	Capacitor 50uf 370VAC
	75 2600-342	1	Clutch Pad 4" OD
	80 2600-945	2	Cover Plastic Insulator
	85 9100-006	1	Cover Plastic Model 9100
	90 4602-010	1	PCB Slide Gate Operator
	93 2599-034	1	Label Gate Operator
	99 2615-155	2	Bolt Hex Head 5/16-18 x 1 3/4
	100 2615-153	4	Bolt Hex Head 5/16-18 x 3/4
	105 2600-933	1	Door Model 9050 9070 9100
	110 2600-880	1	Hole Plug Plastic for 3/8 Hole
	115 2600-985	1	Housing-Model 9050 9070 9100
	120 4001-035	1	Lock N16058BDxSFx2K Key 16120
	123 1702-503	1	Cam 1.1/4
	125 2600-431	1	Marker Strip Silkscreened
	130 2600-129	1	Motor Assy 1/2 HP 6100-9100
	135 2600-732	1	Nameplate Plastic DKS Big
	136 2802-040	2	Washer Push on Clamp
	137 1897-052	2	Gasket, Microphone Support
	140 2600-917	1	Jam Nut Magnet Subassy 910/915
	143 2620-409	4	Nut Hex Flange Lock 1/4-20
	145 2902-006	2	Nut Nylon Lock 10-32
	150 2620-411	16	Nut Hex Flange Lock 5/16-18
	155 2902-003	12	Nut Nylon Lock 6-32
	160 2902-004	1	Nut Nylon Lock 8-32
	163 2902-010	1	Nut Nylon Lock 8-32 Green
	165 2600-911	1	Mount Plate-PC Board 910
	170 1200-028	2	Outlet Snap-In Leviton 1306
	175 2600-957	1	Pulley 10 inch Aluminum Assy
	180 2600-848	2	Resistor Power 1 ohm 30 Watt
	183 2616-051	2	Screw Phillips 10-32x3/8
	184 2616-052	1	Screw Phillips Head 10-32 x1/2
	185 2616-006	4	Screw Phillips Head 6-32x3/16
	190 2616-002	8	Screw Phillips Head 6-32 x 1/2
	195 2616-003	1	Screw Phillips Head 6-32x3/4SS
	197 2616-001	4	Screw Phillips Head 6-32 x 3/8
	200 2616-000	4	Screw Phillips Head 6-32 x 1/4
	205 2616-007	2	Screw Phillips Head 6-32x5/8"

210 2600-887	4 Screw Nylon Phillips 6-32x1/4"
215 2616-019	1 Screw Phillips Head 8-32 x 3/4
220 2600-903	1 Main Shaft Assembly
225 2600-930	1 Bracket Shaft Support 910
230 2600-860	1 Solenoid Lock Assy 91XX
235 2600-446	1 Spring-Compression
247 2600-487	1 Bracket Solenoid Support
250 1601-041	1 Switch Toggle SPST 2POS
251 1812-005	1 Switch Push Button N.O.
252 1506-071	1 Tone Generator Loud
255 2901-002	1 Terminal 18 Pin
260 2600-886	2 Idler Wheel UHMW
265 2600-840	2 Jumper- Ring Tongue #8 Screw
270 3130-008	1 Terminal Block 5 pin
273 3129-005	1 Terminal Block Cover 5 Positio
275 2600-439	1 Washer Cup - Brass
280 2620-053	2 Lockwasher 5/16"
285 2600-053	1 Bearing - Thrust 3/4 ID
286 2600-345	1 Washer Hardened 1 1/4 x 3/4 ID
287 2600-344	1 Washer 1 1/8"OD x 3/4"ID
288 2600-990	1 Washer Neoprene 1.5"x.725"x125
289 2620-035	1 Washer 4"ODx3/4"ID
290 2600-988	1 Wire Set for 9100 Operator
299 2600-639	4 Wire Clamp-1"
300 2600-619	4 Wire Clp-5/8" Concord 770-1209
315 1804-031	12 Tie Wrap 4"
317 2600-749	2 Wire Connector STA-KON RC6
320 4001-018	7 Weather Stripping 50' rolls
330 2599-008	1 Label Patent
335 2599-006	1 Decal SUPPLY GND
340 2599-199	1 Label Universal
350 2599-014	1 Decal Copper Wire Only
355 2599-100	2 Sign Warning
370 4001-093	1 MOV Assembly 130VAC
400 9100-065	1 Manual Installation